

## EAST Search History

## EAST Search History (Prior Art)

| Ref # | Hits | Search Query   | DBs  | Default Operator | Plurals | Time Stamp          |
|-------|------|--|--|------------------|---------|---------------------|
| S21   | 15   | 717/130.ccls.<br>(class\$1file or<br>(class adj file) or<br>byte\$1code or<br>(byte adj code)).<br>clm. (instrument<br>\$6 or insert\$4 or<br>inject\$4).clm. (plug<br>\$1in or dispatch<br>\$4 or handler or<br>load\$3).clm. | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND              | ON      | 2009/08/12<br>09:10 |
| S20   | 38   | 717/130.ccls.<br>(class\$1file or<br>(class adj file) or<br>byte\$1code or<br>(byte adj code)).<br>clm. (instrument<br>\$6 or insert\$4 or<br>inject\$4).clm.  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND              | ON      | 2009/08/12<br>09:07 |
| S19   | 12   | 717/118.ccls.<br>(class\$1file or<br>(class adj file) or<br>byte\$1code or<br>(byte adj code)).<br>clm. (instrument<br>\$6 or insert\$4 or<br>inject\$4).clm. (plug<br>\$1in or dispatch<br>\$4 or handler or<br>load\$3).clm. | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND              | ON      | 2009/08/12<br>09:01 |
| S18   | 9    | 717/118.ccls.<br>(class\$1file or<br>(class adj file) or<br>byte\$1code or<br>(byte adj code)).<br>clm. (instrument<br>\$6 or insert\$4 or<br>inject\$4).clm. (plug<br>\$1in or dispatch<br>\$4 or load\$3).clm.               | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND              | ON      | 2009/08/12<br>09:01 |

|     |     |   |  |     |    |                     |
|-----|-----|---|--|-----|----|---------------------|
| S17 | 21  | 717/118.ccls.<br>(class\$1file or<br>(class adj file) or<br>byte\$1code or<br>(byte adj code)).<br>clm. (instrument<br>\$6 or insert\$4 or<br>inject\$4).clm.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/12<br>09:01 |
| S16 | 49  | (plug\$1in or<br>dispatch\$3 or<br>hook or handler).<br>clm. (instrument<br>\$6 or insert\$4 or<br>inject\$4).clm. load<br>\$3.clm. (class or<br>class\$1file or byte<br>\$1code or (byte<br>adj code)).clm.  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/12<br>08:51 |
| S15 | 115 | (plug\$1in or<br>dispatch\$3 or<br>hook or handler or<br>dynamic\$6).clm.<br>(instrument\$6 or<br>insert\$4 or inject<br>\$4).clm. load\$3.<br>clm. (class or<br>class\$1file or byte<br>\$1code or (byte<br>adj code)).clm.                              | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/12<br>08:51 |
| S14 | 91  | (plug\$1in or<br>dispatch\$3 or<br>hook or handler or<br>dynamic\$6).clm.<br>(instrument\$6 or<br>insert\$4 or inject<br>\$4).clm. ((class or<br>class\$1file) near7<br>load\$3) (class or<br>class\$1file or byte<br>\$1code or (byte<br>adj code)).clm. | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/12<br>08:51 |
| S13 | 45  | (plug\$1in or<br>dispatch\$3 or<br>hook or handler).<br>clm. (instrument<br>\$6 or insert\$4 or<br>inject\$4).clm.<br>((class or class<br>\$1file) near7 load<br>\$3) (class or class<br>\$1file or byte<br>\$1code or (byte<br>adj code)).clm.           | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/12<br>08:43 |

|     |       |  |  |     |    |                     |
|-----|-------|--|--|-----|----|---------------------|
| S12 | 106   | (plug\$1in or dispatcher or hook) (instrument \$6 or insert\$4 or inject\$4).clm. ((class or class \$1file) near7 load \$3) (class or class \$1file or byte \$1code or (byte adj code)).clm.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/12<br>07:45 |
| S11 | 43    | (plug\$1in or dispatcher or hook).clm. (instrument\$6 or insert\$4 or inject \$4).clm. ((class or class\$1file) near7 load\$3)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/12<br>07:44 |
| S10 | 29516 | (plug\$1in or dispatcher or hook).clm. (instrument\$6 or insert\$4 or inject \$4).clm.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/12<br>07:43 |
| S9  | 22    | (instrument\$6 or insert\$4 or inject \$4).clm. (plug\$1in or dispatch\$4) ((class\$1file or (class adj file) or byte\$1code or (byte adj code)) near3 ((instrument \$4 or inject\$4 or insert\$4) load\$3)) (class\$1file or (class adj file) or byte\$1code or (byte adj code)).clm. | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/03<br>08:02 |

|    |    |   |  |     |    |                     |
|----|----|---|--|-----|----|---------------------|
| S8 | 32 | (instrument\$6 or insert\$4 or inject\$4).clm. (plug\$1in or dispatch\$4) ((class\$1file or (class adj file) or byte\$1code or (byte adj code)) near3 (instrument\$4 or inject\$4 or insert\$4)) load\$4 (class\$1file or (class adj file) or byte\$1code or (byte adj code)).clm.    | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/03<br>08:00 |
| S7 | 36 | (instrument\$6 or insert\$4 or inject\$4).clm. (plug\$1in or dispatch\$4) ((class\$1file or (class adj file) or byte\$1code or (byte adj code)) near3 (load\$4 or instrument\$4 or inject\$4 or insert\$4)) (class\$1file or (class adj file) or byte\$1code or (byte adj code)).clm. | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/03<br>07:44 |
| S6 | 67 | (instrument\$6 or insert\$4 or inject\$4).clm. (plug\$1in or dispatch\$4) ((class\$1file or (class adj file) or byte\$1code or (byte adj code)) near3 (load\$4 or instrument\$4 or inject\$4 or insert\$4))   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/03<br>07:44 |

|    |       |   |  |     |    |                     |
|----|-------|---|--|-----|----|---------------------|
| S5 | 194   | (instrument\$6 or insert\$4 or inject\$4).clm. (plug\$1in or dispatcher or regist\$6) ((class \$1file or (class adj file) or byte \$1code or (byte adj code)) near9 (load\$4 or instrument\$4 or inject\$4 or insert\$4)) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/03<br>07:25 |
| S4 | 57    | (instrument\$6 or insert\$4 or inject\$4).clm. (plug\$1in or dispatcher) ((class\$1file or (class adj file) or byte\$1code or (byte adj code)) near9 (load\$4 or instrument\$4 or inject\$4 or insert\$4))                | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/03<br>07:24 |
| S3 | 42    | (instrument\$6 or insert\$4 or inject\$4).clm. (plug\$1in or dispatcher) ((class\$1file or (class adj file) or byte\$1code or (byte adj code)) near4 load\$4)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/03<br>07:24 |
| S2 | 24    | (instrument\$6 or insert\$4 or inject\$4).clm. (plug\$1in or dispatcher) ((class\$1file or (class adj file)) near4 load\$4)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/03<br>07:23 |
| S1 | 10220 | (instrument\$6 or insert\$4 or inject\$4).clm. (plug\$1in or dispatcher)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/08/03<br>07:23 |

## EAST Search History (Interference)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------|-----|------------------|---------|------------|
|       |      |              |     |                  |         |            |

|     |    |  |                          |     |    |                  |
|-----|----|--|--------------------------|-----|----|------------------|
| S25 | 8  | 717/158.ccls. (class \$1 file or (class adj file) or byte\$1 code or (byte adj code)). clm. (instrument\$6 or insert\$4 or inject \$4).clm. (plug\$1in or hook or dispatch \$4 or handler or load\$3).clm. | US-PGPUB;<br>USPAT; UPAD | AND | ON | 2009/08/12 09:26 |
| S24 | 6  | 717/158.ccls. (class \$1 file or (class adj file) or byte\$1 code or (byte adj code)). clm. (instrument\$6 or insert\$4 or inject \$4).clm. (plug\$1in or dispatch\$4 or handler or load\$3). clm.         | US-PGPUB;<br>USPAT; UPAD | AND | ON | 2009/08/12 09:21 |
| S23 | 17 | 717/158.ccls. (class \$1 file or (class adj file) or byte\$1 code or (byte adj code)). clm. (instrument\$6 or insert\$4 or inject \$4).clm.  | US-PGPUB;<br>USPAT; UPAD | AND | ON | 2009/08/12 09:21 |
| S22 | 15 | 717/130.ccls. (class \$1 file or (class adj file) or byte\$1 code or (byte adj code)). clm. (instrument\$6 or insert\$4 or inject \$4).clm. (plug\$1in or dispatch\$4 or handler or load\$3). clm.         | US-PGPUB;<br>USPAT; UPAD | AND | ON | 2009/08/12 09:11 |

8/12/2009 9:58:22 AM

C:\Documents and Settings\tdao1\My Documents\EAST\Workspaces\0703 10 749 617 exe  
modified byte code.wsp